

Buro Metro II 24/7 (SafeTex Fabric).

Buro Seating by




buroseating.com

Buro Metro II 24/7. Superior function & comfort.

Designed for multi-shift operations, the Buro Metro II 24/7 features Buro SafeTex Anti-Bacterial upholstery containing a surface inhospitable to key bacteria and mould, making this a weapon against staining, unpleasant and premature degradation. Without compromising on comfort, the heavy-duty base and 3 lever heavy-duty mechanism with depth adjustable seat slide delivers outstanding ergonomics, strength and support. It is ideal for hospitals, airports, emergency departments, call centers, security guard stations, control rooms and more.

Key Features & Benefits.



buroseating

International Standards.

The Buro Metro II 24/7 chair is supported by the following Internationally recognised standards:

- AFRDI 142 Rated Load 160kg Multi Shift Operation⁵
- GREENGUARD certification
- Test to Australian/ New Zealand Standard AS/NZS 4438:1997 -Height Adjustable Swivel Chairs
- Endorsed by the Australian Physiotherapy Association

Features.

Specifications. (mm)

- Buro SafeTex Anti-Bacterial upholstery
- Adjustable seat height
- Ratchet height adjustable back
- Independently adjustable seat tilt free floating or lockable
- Independently adjustable back tilt free floating or lockable
- Depth adjustable seat slide
- High density polyurethane moulded foam seat
- Black nylon base
- 60mm Castors

Custom Options.


- Soft PU castors (CE1121P)
- Height and width adjustable arms (180-2)
- · Polished aluminium base (with reflective silver powder coated gas lift)

Overall	630w / 610d / 995h
Back	470w / 530h
Seat	520w / 490d
Seat Height	485-615h
Seat Depth Range	420-470d

Carton Dimensions.

Width	640
Height	370
Length	730
Weight	21 kg

Upholstery.





Quality Assurance and Accreditations.




¹10 Yr Guarantee: Excludes upholstery. ²Buro Indicative daily sitting hours: 8+ with 10 yr guarantee ³Buro Indicative daily sitting hours: 16+ with 2 yr guarantee ⁴Static Load Testing: Furntech - AFRDI approved for users up to & including 160kg. Static Load tested to 600kg. Any Static Load test is a strength test which simulates higher than normal dynamic loads that may occasionally be applied to a chair by the user. ⁵AFRDI Standard AFRDI 142 - rated loads for office swivel chairs at 160kg - Multi Shift operations. ⁶Fabric: 7-14 working days. 'Seat Depth Adjustment: Measured from back lumbar to front seat edge. General: Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development, Buro reserves the right to alter product specifications & features without notice.



Buro Product Stewardship Programme.

We encourage repurposing and recycling of pre-loved office furniture to reduce our impact on the environment. When a customer has Buro furniture^{*} that they wish to dispose of, we apply the following steps to determine the most appropriate method.



[•]Qualifying furniture must be Buro branded product (Buro Seating, Konfurb, Mondo), or a partner exclusive brand. [•]Many of our products are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill.